SCS Global Services does hereby certify that an independent assessment has been conducted on behalf of:

# **Masonite Architectural**

201 N Franklin, Ste 300., Tampa, FL, United States

1401 East Fourth Street, Marshfield, WI, US; 980 Point Township Drive, P.O. Box 112, Northumberland, PA 17857, US; 506 Municipal Drive, Jefferson City, TN 37760, US; 430, Route 108, Quest Saint-Ephrem, Quebec G0M 1R0, Canada

For the following product(s):

### See Addendum

The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

### Indoor Advantage™ Gold

Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0

Conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 (effective January, 2017) for the private office<sup>1</sup>, school classroom<sup>1</sup> and single-family residence<sup>1,2,3</sup> parameters.

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m3 (in compliance with CDPH/EHLB Standard Method v1.2-2017)

Registration # SCS-IAQ-04499

Valid from: July 1, 2020 to June 30, 2021







Stanley Mathuram, PE, Vice President SCS Global Services 2000 Powell Street, Ste. 600, Emeryville, CA 94608 USA



<sup>&</sup>lt;sup>1</sup> Modeled Product Type: Interior Doors

<sup>&</sup>lt;sup>2</sup> Modeled Product Type: Exterior Doors

<sup>&</sup>lt;sup>3</sup> Modeled Product Type: Closet Doors

### **Certification Addendum**

## **Masonite Architectural**

Certification: Registration # SCS-IAQ-04499 | Valid from: July 1, 2020 to June 30, 2021

### Addendum Indoor Advantage™ Gold

Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0

Conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 (effective January, 2017) for the private office<sup>1</sup>, school classroom<sup>1</sup> and single-family residence<sup>1,2,3</sup> parameters.

- <sup>1</sup> Modeled Product Type: Interior Doors
- <sup>2</sup> Modeled Product Type: Exterior Doors
- <sup>3</sup>Modeled Product Type: Closet Doors

#### Products:

### Doors:

Standard and Environmental Doors with cores of the following type:

Acoustic, Agrifiber, Fire Resistant Composite, High Density Fiberboard (HDF), Hollow Core, Laminated Veneer Lumber (LVL), Lead, Particleboard (Standard and NAUF), Staved Lumber, Structural Composite Lumber (SCL), Type I Foam

Cores:

Duraflake, Response Engineered Core

Door Surfaces:

Finished Wood Veneers (includes use of anti-microbial additive), High Impact Surfaces, Laminates, Primed, Painted, and Transparent Finish Hardboard (Embossed and Molded)

Stiles and Rails

Includes only factory finished doors

