

ORDER FORM

OVERVIEW

The purpose of this guide is to provide instructions on how to complete the "Regular Jamb Technical Details Order Form". It is recommended to review and follow the instructions in this guide to ensure timely and accurate production. If you have any questions, please contact the Customer Service Department at 1-800-804-5666.

All sections of the "Technical Details Jamb Order Form" must be completed. The following guide explains some points to look for.

A – TITLE

The information in this section is essential for the delivery, billing and customer service.

- Make sure to include the contact name on the line "Authorized by".
- If delivery is required on a job site, a contact name and phone number is required.
- If you have a quote for this order, make sure to write the number on the appropriate line to ensure compliance with the agreed price.
- The due date of your order must be indicated so that we can ensure delivery as requested.

B – JAMB DESCRIPTIONS

- Species : Specify wood veneer and veneer cut.
- Width and height : The measurements must be the rabbet width and height.
- Jamb Thickness: Our standard thickness for the Applied T-Stop and Rabbet Jamb is 3/4". Split Jamb has a standard of 1 1/8". Select the thickness required and if not our standard, an extra charge will added to the regular price.

C – TYPE OF JAMB

Select model that you require. For more details on design, please visit our "Technical Library" on our website www.baillargeondoors.com. For any other configuration, please contact our Quote Department.

D – HINGE MACHINING

- The location of hinges must be given from underside of top of jamb to top of each hinge.



ORDER FORM (CON'T...)

E – STRIKE MACHINING

- The location of the strike(s) must be given from underside of header to center line of each strike.

F – OTHER HARDWARE

- If you want machining in this category, it is important to enclose the hardware templates to make sure of the accuracy of the machining to be done. Furthermore, it is important to include the required machining location.

G – HANDING CHART AND ITEMIZATION

- Confirm the opening handing to ensure that the hardware is machined correctly.
- With proper information (tag number), we will identify every frame.

H – FACTORY FINISH

- If needed, specify finishing that you require. If it's a custom finish, please confirm the color number. With your frame order requiring factory finishing, please provide a signed copy of the color approval with wood kit previously forwarded to you.

I – NOTE

A note section is available if you have any other information to provide.

Incomplete Order Forms will not be scheduled into production. A request for "Missing Details" will be sent to complete the missing information. When everything is completed, the order will be scheduled into production.





Baillargeon
Wood Door Manufacturer

PHONE: 418-484-5666 | FAX: 418-484-5688
TOLL FREE: 1-800-804-5666 | TOLL FREE FAX: 1-800-804-5688
www.baillargeondoors.com



Please insert
this end first
in fax

REGULAR JAMB TECHNICAL DETAILS USER GUIDE ORDER FORM

Customer: _____ Authorized by: _____ Date: ___/___/___ Page: ___ of ___
Ship to: Same Job site: _____ Prepaid and charge Required: ___/___/___
Via: _____ Collect Your order #: _____ Quote: _____

JAMB TYPES

1 FLAT JAMB (U)

2 APPLIED T-STOP (U)

3 SINGLE RABBET (U)

4 DOUBLE RABBET (U)

5 SPLIT (U)

6 SPECIAL JAMB (U) SEE DRAWING

A

Jamb Thickness **1**



3/4" standard jamb 1" jamb

Note: _____

I

Pre-machining: YES NO

Code: _____



Itemized Jamb	Qty	Jamb n°	NO	YES
			<input type="checkbox"/>	<input type="checkbox"/>
Left hand LH				
			<input type="checkbox"/>	<input type="checkbox"/>
Right hand reverse RHR				
			<input type="checkbox"/>	<input type="checkbox"/>
Left hand reverse LHR				
			<input type="checkbox"/>	<input type="checkbox"/>
Right hand RH				
Factory finishing				
<input type="checkbox"/> Standard stain				
<input type="checkbox"/> Custom stain				
<input type="checkbox"/> Clear varnish				
<input type="checkbox"/> Primed				
<input type="checkbox"/> Opaque paint				

STRIKE	LOCK	DEAD LOCK
Manufacturer	E	
Template #		
ASA 1 1/4" x 4 7/8"	<input type="checkbox"/>	<input type="checkbox"/>
1 1/8" x 2 3/4"	<input type="checkbox"/>	<input type="checkbox"/>
1 1/8" x 3 1/2"	<input type="checkbox"/>	<input type="checkbox"/>
Other		
No lip	<input type="checkbox"/>	<input type="checkbox"/>
HARDWARE	MODEL	TEMPLATE #
Panic bar strike		
Concealed overhead stop		
Door closer	F	
Electric strike		
Pivot		
Roller latch strike		
Electric power transfer		
Flush bolt strike		
Other		

Hinges

Type # _____

Thickness _____

D

Height _____

Backset _____

Corner

Square

1/4" Radius

5/8" Radius

Other _____

Please provide your templates with every order